



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TANET uniSwitch
UFI : 43Q7-W0Y2-V006-949G

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

112
Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342
+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear eye protection/ face protection.

Response:



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.

Safety data sheet available on request.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319 specific concentration limit Eye Irrit. 2; H319 >= 50 %	>= 1 - < 10
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 specific concentration limit Eye Irrit. 2; H319 5 - < 10 % Eye Dam. 1; H318 >= 10,0 %	>= 3 - < 5
1-phenoxypropan-2-ol	770-35-4 212-222-7 01-2119486566-23	Eye Irrit. 2; H319	>= 1 - < 10
Alcohols, C10-16, ethoxylated propoxylated	69227-22-1 614-942-0	Eye Dam. 1; H318 Acute Tox. 4; H302 specific concentration limit Eye Irrit. 2; H319 1 - 10,0 % Eye Dam. 1; H318 > 10,0 %	>= 1 - < 3
D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 500-220-1 01-2119488530-36	Eye Dam. 1; H318 specific concentration limit Eye Dam. 1; H318	>= 1 - < 3



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

		> 10 % Eye Irrit. 2; H319 10 %	
2,2'-methyliminodiethanol	105-59-9 203-312-7 603-079-00-5 01-2119488970-24	Eye Irrit. 2; H319	>= 1 - < 10

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection : If splashes are likely to occur, wear:
Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.
It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.
Recommended Filter type:
ABEK-P3-filter



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: blue
Odour	: pleasant
Odour Threshold	: No data available
pH	: ca. 9,6, 100 % at 20 °C
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 70 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,007 g/cm ³ at 20 °C
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

none



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.
Our company does not place any orders for animal testing for the finished product or the ingredients.
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

ethanol

ALCOHOL:

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 51 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402

LD50 Dermal (Rabbit): > 10.000 mg/kg



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

Method: OECD Test Guideline 402

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity : LD50 Oral (Rat): 2.870 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): 7.400 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): 2.000 - 5.000 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

1-phenoxypropan-2-ol

770-35-4:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5,4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Acute oral toxicity : LD50 Oral: 1.800 mg/kg

D-Glucopyranose, oligomers, decyl octyl glycosides

CAPRYLYL/CAPRYL GLUCOSIDE:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402

2,2'-methyliminodiethanol

105-59-9:

Acute oral toxicity : LD50 (Rat): 4.680 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:

ethanol

ALCOHOL:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Species : Rabbit
Assessment : Irritating to skin.
Method : OECD Test Guideline 404

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Method : OECD Test Guideline 404
Result : Mild skin irritation
Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

D-Glucopyranose, oligomers, decyl octyl glycosides

CAPRYLYL/CAPRYL GLUCOSIDE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

2,2'-methyliminodiethanol

105-59-9:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Causes serious eye irritation.

Components:

ethanol

ALCOHOL:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Mild eye irritation



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Species : Rabbit
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

1-phenoxypropan-2-ol

770-35-4:

Result : Eye irritation

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

D-Glucopyranose, oligomers, decyl octyl glycosides

CAPRYLYL/CAPRYL GLUCOSIDE:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

2,2'-methyliminodiethanol

105-59-9:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritating to eyes.

Respiratory or skin sensitisation

Product:

Remarks : No data available

Components:

ethanol

ALCOHOL:

Result : Not a skin sensitizer.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Result : Does not cause skin sensitisation.

D-Glucopyranose, oligomers, decyl octyl glycosides

CAPRYLYL/CAPRYL GLUCOSIDE:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

2,2'-methyliminodiethanol

105-59-9:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

D-Glucopyranose, oligomers, decyl octyl glycosides

CAPRYLYL/CAPRYL GLUCOSIDE:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ethanol

ALCOHOL:

Species : Rat, male
NOAEL : > 20 mg/kg
Method : OECD Test Guideline 403

Species : Rat, female
NOAEL : 1.730 mg/kg
Method : OECD Test Guideline 408

Aspiration toxicity : Not Rated



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

11.2 Information on other hazards

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanol

ALCOHOL:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l
Exposure time: 48 h

LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l
Exposure time: 96 h

LC50 (Fish): 11.200 mg/l

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 12.340 mg/l
Exposure time: 48 h

EC50 : 5.012 mg/l

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900 mg/l
Exposure time: 48 h
Test Type: Growth inhibition
Method: No information available.

EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l
Exposure time: 168 h

EC50 : 4.432 mg/l

EC10 : 11,5 mg/l

EC10 : 280 mg/l

Toxicity to microorganisms : EC50 (Pseudomonas putida): 11.800 mg/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Toxicity to fish

: LC50 (Danio rerio (zebra fish)): 7,1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Fish): > 1 - 10 mg/l
Test Type: semi-static test
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l
Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l
Exposure time: 28 d
Test Type: flow-through test
Method: OECD Test Guideline 204

LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l
Test Type: flow-through test
Method: OECD Test Guideline 203

LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia pulex (Water flea)): 7,4 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 0,27 mg/l
Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 211

(Daphnia magna (Water flea)): 7,2 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants

: EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

EC50 (Scenedesmus subspicatus): 10 - 100 mg/l
Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

- NOEC : 0,95 mg/l
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10 g/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test
Method: DIN 38412
GLP: yes
- EC10 (Pseudomonas putida): > 10 g/l
Test Type: Cell multiplication inhibition test
- Toxicity to fish (Chronic toxicity) : NOEC: 1 - 10 mg/l
Species: Leuciscus idus (Golden orfe)
- NOEC: 0,14 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 204
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
- Toxicity to soil dwelling organisms : NOEC: 750 mg/kg
Exposure time: 96 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
- 1-phenoxypropan-2-ol**
770-35-4:
- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 220 - 460 mg/l
Exposure time: 96 h
- LC50 (Pimephales promelas (fathead minnow)): 280 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 370 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
- EC50 (Desmodesmus subspicatus (green algae)): 74,5 mg/l
Exposure time: 72 h



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l
Exposure time: 17 h

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Toxicity to fish : LC50 (Brachydanio rerio): > 1 - 10 mg/l
Test Type: semi-static test
Method: ISO 7346/2

Toxicity to daphnia and other aquatic invertebrates : EC50 (Acartia tonsa): > 1 - 10 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): > 1 - 10 mg/l
Exposure time: 72 h

EC10 (Scenedesmus subspicatus): > 1 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC0 (Pseudomonas putida): > 100 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

D-Glucopyranose, oligomers, decyl octyl glycosides

CAPRYLYL/CAPRYL GLUCOSIDE:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 100,81 mg/l
Exposure time: 96 h

NOEC (Brachydanio rerio (zebrafish)): 1,8 mg/l

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 1,0 mg/l

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): 27,22 mg/l
Exposure time: 72 h

2,2'-methyliminodiethanol

105-59-9:

Toxicity to fish : (Leuciscus idus (Golden orfe)): 1.466 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 233 mg/l
Exposure time: 48 h
Test Type: static test
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC20 (activated sludge): > 1.000 mg/l
Exposure time: 0,5 h
Method: OECD Test Guideline 209



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

12.2 Persistence and degradability

Components:

ethanol

ALCOHOL:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Method: OECD Test Guideline 301

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD 301 A

Test Type: anaerobic
Result: Biodegradable
Biodegradation: > 60 %
Exposure time: 41 d

1-phenoxypropan-2-ol

770-35-4:

Biodegradability : Biodegradation: 72 %
Exposure time: 28 d
Method: OECD 301 F

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD test.
The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

D-Glucopyranose, oligomers, decyl octyl glycosides

CAPRYLYL/CAPRYL GLUCOSIDE:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD 301 E

2,2'-methyliminodiethanol

105-59-9:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 96 %
Exposure time: 18 d
Method: OECD 301 A



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

12.3 Bioaccumulative potential

Components:

ethanol

ALCOHOL:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-octanol/water : log Pow: -0,32

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

1-phenoxypropan-2-ol

770-35-4:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

SECTION 14: Transport information

14.1 UN number or ID number

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and : Not applicable



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

the Council concerning the export and import of dangerous chemicals

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapour or gaseous form: : portionClass 3: < 0,01 %
: Organic Substances: Not applicable
: Carcinogenic substances: Not applicable
: Mutagenic: Not applicable
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Update: Percent volatile: 5,88 %

according to Detergents Regulation EC 648/2004 : 5 - <15% Non-ionic surfactants, <5% Anionic surfactants, soap, Perfumes, PHENOXYETHANOL

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.
H302 : Harmful if swallowed.
H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances



TANET uniSwitch

WM 0716155

Order number: 0716155

Version 1.2

Revision Date 18.11.2023

Print Date 16.02.2024

List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Eye Irrit. 2

H319

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN