



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : SANET inoSwitch  
UFI : H1R6-S0D4-N00Y-SNAW

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642414  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person :  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

112  
Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342  
+49(0)6131-19240

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

##### Prevention:

P264

Wash skin thoroughly after handling.

P280

Wear eye protection/ face protection.

##### Response:



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/attention.

Safety data sheet available on request.

### 2.3 Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
citric acid	77-92-9 201-069-1 01-2119457026-42	STOT SE 3; H335 Eye Irrit. 2; H319	>= 1 - < 10
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412  specific concentration limit Eye Irrit. 2; H319 5 - < 10 % Eye Dam. 1; H318 >= 10,0 %	>= 1 - < 2,5
l-(+)-lactic acid	79-33-4 201-196-2 01-2119474164-39	Skin Corr. 1C; H314 Eye Dam. 1; H318  specific concentration limit Skin Irrit. 2; H315 3 - < 5 % Eye Dam. 1; H318 >= 3 % Eye Irrit. 2; H319 1 - < 3 % Skin Corr. 1C; H314 >= 5 %	>= 1 - < 3

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

Consult a physician.  
Show this safety data sheet to the doctor in attendance.

- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Protect unharmed eye.  
Continue rinsing eyes during transport to hospital.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : corrosive effects  
Irritation
- Risks : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



## **SANET inoSwitch**

**WM 0716231**

**Order number: 0716231**

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

---

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.

#### **6.2 Environmental precautions**

Environmental precautions : Try to prevent the material from entering drains or water courses.

#### **6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### **6.4 Reference to other sections**

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

---

### **SECTION 7: Handling and storage**

#### **7.1 Precautions for safe handling**

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### **7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Further information on storage stability : No decomposition if stored and applied as directed.

#### **7.3 Specific end use(s)**

Specific use(s) : Cleaning agent



## **SANET inoSwitch**

**WM 0716231**

**Order number: 0716231**

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

### **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

Contains no substances with occupational exposure limit values.

#### **8.2 Exposure controls**

##### **Personal protective equipment**

Eye/face protection : If splashes are likely to occur, wear:  
Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.  
It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.  
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.  
Recommended Filter type:  
ABEK-P3-filter

### **SECTION 9: Physical and chemical properties**

#### **9.1 Information on basic physical and chemical properties**

Appearance : liquid  
Colour : red



## **SANET inoSwitch**

**WM 0716231**

**Order number: 0716231**

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

Odour	: characteristic
Odour Threshold	: No data available
pH	: 2,3, 100 % at 20 °C
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1,048 g/cm <sup>3</sup> at 20 °C
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### **9.2 Other information**

none

---

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

### **10.2 Chemical stability**

No decomposition if stored and applied as directed.

### **10.3 Possibility of hazardous reactions**



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

Hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.  
Our company does not place any orders for animal testing for the finished product or the ingredients.  
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

Acute toxicity : Not Rated

#### Components:

##### citric acid

##### CITRIC ACID:

Acute oral toxicity : LD50 Oral (Mouse): 5.400 mg/kg  
Method: OECD Test Guideline 401

LD50 Oral (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

##### 68891-38-3:

Acute oral toxicity : LD50 Oral (Rat): 2.870 mg/kg  
Method: OECD Test Guideline 401

LD50 (Rat): 7.400 mg/kg  
Method: OECD Test Guideline 401

LD50 (Rat): 2.000 - 5.000 mg/kg  
Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

GLP: yes

### I-(+)-lactic acid

#### LACTIC ACID:

Acute oral toxicity : LD50 (Rat): 3.730 mg/kg  
LD50 (Mouse): 4.875 mg/kg  
LD50 Oral (Guinea pig): 1.810 mg/kg

Acute inhalation toxicity : LC50 (Rat): 7,94 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks : May cause skin irritation and/or dermatitis.

#### Components:

##### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

###### 68891-38-3:

Species : Rabbit  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404

### Serious eye damage/eye irritation

#### Product:

Remarks : May cause irreversible eye damage.  
Causes serious eye irritation.

#### Components:

##### citric acid

#### CITRIC ACID:

Result : Eye irritation

##### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

###### 68891-38-3:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Product:

Remarks : No data available





## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

### Components:

#### citric acid

#### CITRIC ACID:

Result : Does not cause skin sensitisation.

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

#### 68891-38-3:

Result : Does not cause skin sensitisation.

#### Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

### Components:

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

#### 68891-38-3:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Repeated dose toxicity

### Components:

#### citric acid

#### CITRIC ACID:

Species : Rat  
NOAEL : 4.000 mg/kg  
LOAEL : 8.000 mg/kg  
Application Route : Oral  
Exposure time : 10 d

Aspiration toxicity : Not Rated

## 11.2 Information on other hazards

### Further information

#### Product:

Remarks : No data available



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### citric acid

##### **CITRIC ACID:**

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.535 mg/l  
Exposure time: 24 h  
Test Type: static test
- EC50 (Daphnia magna (Water flea)): ca. 120 mg/l  
Exposure time: 72 h
- Toxicity to algae/aquatic plants : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l  
Exposure time: 8 Days  
Test Type: static test
- Toxicity to microorganisms : (Pseudomonas putida): > 10.000 mg/l  
Exposure time: 16 h

##### **Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts**

##### **68891-38-3:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203  
GLP: yes
- LC50 (Fish): > 1 - 10 mg/l  
Test Type: semi-static test  
Method: OECD Test Guideline 203
- LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l  
Method: OECD Test Guideline 203
- NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l  
Exposure time: 28 d  
Test Type: flow-through test  
Method: OECD Test Guideline 204
- LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l  
Test Type: flow-through test  
Method: OECD Test Guideline 203
- LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 7,4 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

- EC50 (*Daphnia magna* (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- NOEC (*Daphnia magna* (Water flea)): 0,27 mg/l  
Exposure time: 21 d  
Test Type: flow-through test  
Method: OECD Test Guideline 211
- (*Daphnia magna* (Water flea)): 7,2 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (*Desmodesmus subspicatus* (green algae)): 27,7 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes
- EC50 (*Scenedesmus subspicatus*): 10 - 100 mg/l  
Method: OECD Test Guideline 201
- EC50 (*Desmodesmus subspicatus* (green algae)): > 10 - 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201
- NOEC : 0,95 mg/l  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201
- NOEC (*Desmodesmus subspicatus* (green algae)): 0,93 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (*Pseudomonas putida*): > 10 g/l  
Exposure time: 16 h  
Test Type: Cell multiplication inhibition test  
Method: DIN 38412  
GLP: yes
- EC10 (*Pseudomonas putida*): > 10 g/l  
Test Type: Cell multiplication inhibition test
- Toxicity to fish (Chronic toxicity) : NOEC: 1 - 10 mg/l  
Species: *Leuciscus idus* (Golden orfe)
- NOEC: 0,14 mg/l  
Exposure time: 28 d  
Species: *Oncorhynchus mykiss* (rainbow trout)  
Method: OECD Test Guideline 204
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Method: OECD Test Guideline 211



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

Toxicity to soil dwelling organisms : NOEC: 750 mg/kg  
Exposure time: 96 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 222

### I-(+)-lactic acid

#### LACTIC ACID:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 130 mg/l  
Exposure time: 96 h

LC50 (Fish): 320 mg/l  
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 130 mg/l  
Exposure time: 48 h

EC50 (Daphnia pulex (Water flea)): 240 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum): 3.500 mg/l

ErC50 (Pseudokirchneriella subcapitata (microalgae)): 2.800 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 : > 100 mg/l  
Exposure time: 3 h

## 12.2 Persistence and degradability

### Components:

#### citric acid

#### CITRIC ACID:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD 301 B

Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 19 d  
Method: OECD 301 E

Biochemical Oxygen Demand (BOD) : 526 mg/g

Chemical Oxygen Demand (COD) : 728 mg/g

ThOD : 0,75 g/g

### Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

#### 68891-38-3:

Biodegradability : Test Type: aerobic  
Result: rapidly biodegradable  
Biodegradation: > 70 %



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

Exposure time: 28 d  
Method: OECD 301 A

Test Type: anaerobic  
Result: Biodegradable  
Biodegradation: > 60 %  
Exposure time: 41 d

### I-(+)-lactic acid

#### LACTIC ACID:

Biodegradability : Result: rapidly biodegradable

Biochemical Oxygen Demand (BOD) : 450 mg/g  
Incubation time: 5 d

600 mg/g  
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 900 mg/g

ThOD : 1.067 mg/g

### 12.3 Bioaccumulative potential

#### Components:

##### citric acid

#### CITRIC ACID:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

**Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts**

#### 68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Components:

##### citric acid

#### CITRIC ACID:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts**

#### 68891-38-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT).



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

**Product:**

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
In accordance with local and national regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

**ADR**  
Not dangerous goods  
**RID**  
Not dangerous goods  
**IMDG**  
Not dangerous goods  
**IATA**  
Not dangerous goods

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

**ADR**  
Not dangerous goods  
**RID**  
Not dangerous goods  
**IMDG**  
Not dangerous goods  
**IATA**  
Not dangerous goods

### 14.4 Packing group

**ADR**  
Not dangerous goods  
**RID**  
Not dangerous goods  
**IMDG**  
Not dangerous goods  
**IATA**  
Not dangerous goods

### 14.5 Environmental hazards



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

### ADR

Not dangerous goods

### RID

Not dangerous goods

### IMDG

Not regulated as a dangerous good

### IATA

Not dangerous goods

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapour or gaseous form: Not applicable  
: Organic Substances: : portionClass 1: 7,82 %  
: Carcinogenic substances: Not applicable  
: Mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: 0,06 %

according to Detergents Regulation EC 648/2004 : <5% Anionic surfactants, Perfumes

### 15.2 Chemical safety assessment



## SANET inoSwitch

WM 0716231

Order number: 0716231

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

### SECTION 16: Other information

#### Full text of H-Statements

- H314 : Causes severe skin burns and eye damage.
- H315 : Causes skin irritation.
- H318 : Causes serious eye damage.
- H319 : Causes serious eye irritation.
- H335 : May cause respiratory irritation.
- H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

- Aquatic Chronic : Long-term (chronic) aquatic hazard
- Eye Dam. : Serious eye damage
- Eye Irrit. : Eye irritation
- Skin Corr. : Skin corrosion
- Skin Irrit. : Skin irritation
- STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

##### Classification of the mixture:

Eye Irrit. 2                                  H319

##### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.





## **SANET inoSwitch**

**WM 0716231**

**Order number: 0716231**

Version 2.1

Revision Date 18.11.2023

Print Date 16.02.2024

REG\_EU / EN

50000005889